

BURTON TOWNSHIP

Service Department
Burton Township
P.O. Box 355
Burton, OH 44021

Administration Building: 440-834-1500
Service Department Cell: 440-476-9938

Date: _____

Mr./Mrs./Ms.: _____

_____ Road

Burton, OH 44021

Re: Specifications for Ditch Elimination

Your application and request for ditch elimination must be approved by the Burton Township Trustees. Upon installation of your ditch elimination the township requires inspection by the Road Superintendent to ensure proper installation. The project may be approved and finished once this document is signed and meets all the requirements below:

Specifications: Approval Ditch Elimination:

1. The home owner has read and signed The Ditch Elimination Application – Terms, Conditions, and Restriction.
2. At least two days before ditch enclosure construction is scheduled to begin, the permit holder shall contact Burton Township.
3. The slope of the pipe equals or exceeds 2% slope or grade change through the applicable segment of pipe to be installed.
4. Pipe to be used is 12” black plastic double wall perforated pipe.
5. Pipe is to be installed and bedded on-half to two-thirds the depth in #57 limestone to accommodate road substrate drainage.
6. The ditch elimination shall be installed to meet requirements of the cross section provided with the application. One requirement is a 1’-0” minimum mowable swale to accommodate surface drainage to the required catch basins.
7. A catch basin/clean-out/swale drain installed with removable grate/lid at each connection to existing pipes. No span of piper greater than 40’-0” without a catch basin. Each connection shall be structurally sound and water tight as to prevent leaks or separation causing erosion. The riser on all catch basins shall be cut flush to the ditch bottom at the proper height to not protrude above the correct ditch grade at that location.

Name: _____

Date: _____

**Note: Please send this additional page back to Burton Township.

Please call the Service Department at 440.476.9938 with any additional questions.